



**Better FTTx,
Better Life.**

FCST16311

Y-Type Tube Distribution Closure

M:+86 18720624696

Email:sales@fcst.com

Tel:+86-21-38726791 38726792

Web:www.fcst.com www.micro-duct.com



Product Overview

FCST16311 Y-Type Tube Distribution Closure,an in-line enclosure used for the blown fibre joint applications. can be Direct Buried into a waiting trench (following FCST installation procedures on back-fill) or placed inside a manhole or handhole.

Product Advantages

- Protection Level:IP67.
- Proven gel sealing system.
- No pressure relief valve required.
- Robust construction with high mechanical strength.
- Easy handling at all temperatures,Tool-less installation or re-entry.
- Sealing rings can be customized according to the size of microduct.
- Cable configuration changes possible with a minimum of extra accessories.

Product Specifications

Construction	Description
Micro Duct Diameters	Duct Width:≤62 Duct Height:≤47.5
Material	ABS
Length	500mm 19.685in
Width	290mm 11.417in
Height	110mm 4.330in
Net Weight(g)	2220g
Protection Level	IP67
Port Supports	1 in 2 out
Temperature Range	-40°C to +60°C

Micro Duct Diameters Description


To ensure that different sizes of microduct are waterproof to IP67.

Applicable Duct Size:


Duct Width: $\leq 62\text{mm}$

Duct Height: $\leq 47.5\text{mm}$

Sealing rings can be customized according to the size of microduct



Applicable Micro Duct




The existing sealing rings are suitable for the sizes of the tube bundle below

Presentation 1:

Trunk:24-Ways 10/6mm


Branch:7-Ways 14/10mm or 24-10/6mm



Presentation 2:

Trunk:7-Ways 10/6mm

Branch:7-Ways 10/8mm or 4-14/10mm



Ordering Information

FCST16311 Y-Type Tube Distribution Closure-

Microduct Type

1	Trunk:24-Ways 10/6mm	Branch:7-Ways 14/10mm or 24-10/6mm
2	Trunk:7-Ways 10/6mm	Branch:7-Ways 10/8mm or 4-14/10mm
...	Customized	

Packing Information



Construction	Description
Outside Dimension(L*W*H)	500*274*110mm
Weight/PC	2.2kgs
Carton size(L*W*H)	595*405*650mm
Qty/CTN	10pcs
Weight/CTN	23.1kgs

Related Products



Fiber Blowing Machines



Telecom Manhole Chamber



Micro Duct Connector




Micro-duct

Design And Customization Services

- Provide service with whole process from blueprint to product to the customer.
- Meet customer's requirement to customize logo in suitable place for existing product.
- Meet customer's requirement to make reasonable modify and customization for existing product.
- Provide free design according to the requirement of customer after signed cooperative agreement.




FCST01131



FCST02253



Fiber Cable Solution Technology Co.,Ltd.



Overseas Agency

 www.fcst.com www.micro-duct.com



FCST - Better FTTx, Better Life.

At FCST, we manufacture top-quality microduct connectors, microduct closure, telecom manhole chambers and fiber splice boxes since 2003. Our products boast superior resistance to failure, corrosion, and deposits, and are designed for high performance in extreme temperatures. We prioritize sustainability with mechanical couplers and long-lasting durability.

FCST aspires to a more connected world, believing everyone deserves access to high-speed broadband. We're dedicated to expanding globally, evolving our products, and tackling modern challenges with innovative solutions. As technology advances and connects billions more devices, FCST helps developing regions leapfrog outdated technologies with sustainable solutions, evolving from a small company to a global leader in future fiber cable needs.

Rm402 block A Watts gallop tower No.2816 YiXian Rd, BaoShan District, Shanghai 200441.

Tel:+86-21-38726791 +86-21-38726792 Fax:+86-21-38726793